Safety Data Sheet

Approved by ECOCERT

ZLEY[®]BIOCARE-ZPG

PENTYLENE GLYCOL

ZLEY

Version No:**2.0** Safety Data Sheet according to GB/T16483,GB/T17519 Standard requirements

Project number: **RF-SDS400802** Issue Date:07/23/2022

Part 1: Chemicals and Corporate Identity

Product name

Name of the chemical	PENTYLENE GLYCOL
Alias	None
Molecular formula	$C_5H_{12}O_2$
Other identification methods	None
CAS No.	5343-92-0

Manufacturer, importer or supplier

Corporate name	Zley Holdings (Suzhou) Co., Ltd.10th Floor, Building 2, Yushan Square,High-tech Zone, Suzhou City, Jiangsu ProvinceZip code: 215000		
Corporate address			
Tel:	+86 512-87775990/18626205929		
Fax:	0512-87775990		
Website	http://www.zleyholdings.com		
E-mail	info@zleyholdings.com		

Emergency telephone

Emergency telephone	+86 4000928866
Emergency telephone	100 1000720000

Part 2: Hazard Overview

ISO C

Classification of substances and mixtures Emergency overview.

REACH

Approved by ECOCERT RAW MATTER

Solid· Non-combustible.

Irritant to eyes.

ZLE

May cause respiratory irritation. Irritant to skin

1 4 4 4	Skin corrosion/irritation category 2, severe eye damage/eye irritation category 2A,
Hazard category	specific target organ toxicity one time
	exposure category 3

Label Elements

12 12	GHS pictogram		
	Signal word	warning	

Hazard statement

H315	Cause skin irritation		
H319	Cause severe eye irritation		
H335	May cause respiratory irritation		

Precautionary statement: preventive measures

P101	In case of medical treatment: please take with product container or label		
P102	Keep out of reach of children		
P103	Please read the label before use		
P271	Can only be used outdoors or in a well-ventilated area		

Precautionary statement: incident response

P305+P351+P338	In case of entering into the eyes: rinse cautiously with water for several minutes. If contact lenses are worn and can be removed easily, remove the contact lenses, and continue to rinse.
P312	In case you feel sick, call the detoxication center or call a doctor.
P337+P313	In case eye irritation persists: see a doctor/medical treatment
P307+p352	In case the skin is contaminated: wash with plenty of soap and water

Precautionary statement: safe storage

ZLE

妝 萊 集 團

,	P405	The depository must be locked.
	P403+P233	Store in a well-ventilated place, and keep the container closed.

Approved by ECOCERT RAW MATERIAL

Precautionary statement: disposal consideration

P501	e dispose of contents/container should be conducted in ordance with local regulations.
------	--

Physical and chemical hazards Solid Non-combustible

· · · /	
Health hazard	The substance can cause respiratory tract irritation to some people, and the human body's response to the irritation will cause further lung injury.
	In case people with respiratory dysfunction, respiratory diseases such as
	emphysema or chronic tracheitis inhale high concentrations of particles,
Inhalation	further loss of function may be caused. In case of previous circulatory or
	nervous system damage, or in case renal injury has been persistently existed,
	and excessive exposure is caused by treatment or use of the substance, those
	who may be exposed to greater risks should be screened appropriately.
	The substance is not classified as "harmful if swallowed" according to EU
	directives or other classification systems, which is due to the lack of
	conclusive animal or human evidence. The ingestion of the substance can still
	cause harm to the health of individuals, especially to those with previous
Ingestion	obvious organic damage (such as liver and kidney). Currently, harmful or
	toxic substances are generally defined on the basis of the dose that causes
	death but not on the basis of the dose that causes illness (disease and
	discomfort). Gastrointestinal tract discomfort may cause nausea and vomiting.
	However, the ingestion of trace of the substance in the workplace is not
	considered dangerous.
	Some people's skin contact with this substance can lead to inflammation. The
	substance can exacerbate the original dermatitis disease. Skin contact is not
	considered to be able to cause effects harmful to health (classified in
	accordance with EU directive), but the substance may still cause health
Skin contact	damage in case of entering the body through wounds, lesions or abrasions.
	Unhealed wounds, abraded or irritated skin should not be exposed to the
	substance.
	The entry into the body through wounds, lesions or abrasions may cause
	harmful effects of systemic injury. The skin should be examined before using
	the substance, and the substance can only be used after ensuring that any
	injury is properly protected.

X Z	LEY _{妝萊集團}	B ISO	THE SGS	REACH	Approved by ECOCERT RAW MATERIAL
------------	------------------------	-------	---------	-------	--

Eyes	The substance can irritate and damage the eyes of some people.		
	Long term exposure to respiratory irritants may lead to tracheal diseases,		
	including expiratory dyspnea and related systemic diseases.		
Chronic	Limited evidence suggests that repeated or long-term occupational exposure		
4	may contribute to cumulative health effects in relation to organs or biochemical		
	systems.		

Environmental hazards: please refer to Part 12.

Other hazardous nature.

Part 3: Component/Composition Information

Material

CAS number	Concentration or concentration range (mass fraction%)	Component	
5343-92-0	100	PENTYLENE GLYCOL	

Part 4: First aid Measures

F	irst aid	
-		In case the eyes contact with this product: Rinse immediately
	A A	with running water. Ensure that the eyes are thoroughly cleaned
	10 A)	by lifting the upper and lower eyelids from time to time.
	Eye contact	In case the pain persists or relapses, see medical advice
		immediately, Contact lenses should only be removed by trained
	1 4	personnel after eye injury
	N B A	In case of skin contact: Immediately remove all contaminated
		clothing, including shoes and socks; Rinse skin and hair with
	Skin contact	running water (use soap if possible);
		In case of irritation, seek medical advice.
	Y = AY = 4	

4 4	If smoke or combustion products are inhaled, remove the patient from the contaminated area.
	Keep the patient lying flat. Pay attention to keep warm and rest. Remove prostheses such as dentures before starting first aid as fai
1	as possible to prevent from blocking the respiratory tract.
	In case of respirator arrest, artificial respiration should be carried
Inhalati	ion out. It is better to use the artificial respirator with stop valve or bag valve mask or pocket mask, and cardiopulmonary resuscitation
1 1	should be performed if necessary.
	Take the patient to hospital or seek medical service immediately.
L'Y	N N V V V V V
	Provide a glass of water immediately.
	First aid is usually not required. If there is any doubt, contact the
Ingestion	n Poisons Information Centre or contact a doctor.

Approved by ECOCERT RAW MATERIA

REACH

Advice on protecting rescuers/Special tips for doctors/Symptomatic treatment.

Part 5: Fire Protection Measures

ISO C

 \mathbf{E}

Fire extinguishing agent

There are no restrictions on the type of fire extinguishing agent. Use fire extinguishing media suitable for the surrounding environment.

Special hazard

Fire taboo

No information available.

Matters needing attention and protective measures for fire extinction

	Notify the fire brigade, and inform it of the location and hazard
	characteristics of the accident. Wear respiratory equipment and
	protective gloves only in case of fire.
Fire-fighting measures	Take all possible measures to prevent spillage from entering
	sewers or water courses.
	Use fire-fighting procedures suitable for the surrounding
	environment.



	Non-combustible	
Fire/Explosion hazards	There is no major fire risk, however, the container may burn.	ľ
	May release toxic fumes	

Part 6: Accidental Release Measures

Protective measures for operators, protective equipment and emergency disposal procedures: Please refer to Part 8.

Preventive measures to prevent from secondary disasters: Please refer to the above parts.

Environmental protection measures: Please refer to Part 12.

1		in methods and used disposal materials of reaked chemicals
		Clean up all leakages immediately.
	A small amount of	Avoid inhalation of dust and avoid contact with skin and eyes.
	leakage	Wear protective clothing, gloves, safety goggles and dust masks,
		Use dry cleaning procedures to avoid the generation of dust.
		1 A A A A
1		Moderate level hazard.
	A large amount of	Warning: notify all personnel in the area.
	leakage	Report to the emergency departments and inform them of the accident

location and hazard characteristics. Wear protective clothes.

Internment, removal methods and used disposal materials of leaked chemicals

The recommendations for personal protective equipment are shown in Part 8 of the SDS.

Part 7: Operation Disposal and Storage

Matters needing attention for operation disposal

Safe operation	Prevent all contact, including inhalation. Wear protective clothing in case of exposure to the hazard. Use in a well-ventilated area. Prevent the product from gathering in low-lying areas.
Other information	Store in the original container. Keep the container safe and sealed. Store in a cool, dry and well ventilated place. Store in a lace away from incompatible materials and food containers.

Matters needing attention for storage

ΣE

妝 萊 集 團

ΖT

Proper container	Polyethylene or polypropylene containers. Check all containers to ensure that the labels are clear and there is no leakage.
Storage prohibition	No data available.

Part 8: Contact Control and Individual Protection

Control parameters/Occupational contact limits/Compositional data: None.

Approved by ECOCERT RAW MATERIAL

REACH

Emergency restrictions

Ingredient	Name of the substance	TEEL-1	TEEL-1	TEEL-1
PENTYLENE GLYCOL	None	None	None	None

Contact control

Engineering control	Use engineering control to eliminate hazards, or set up a barrier between workers and hazards. Well-designed engineering control can effectively protect workers, and usually can improve the protection level without being affected by the interaction between workers. The basic types of engineering control include: Reduce risks through process control changing operation activities or process flow mode. Close and/or isolate emission source, so as to physically isolate the target hazard and workers, as well as the ventilation system able to add a "add fresh air" and "get rid of dirty air" strategically in the workplace. In case the design is reasonable, the ventilation system can eliminate or reduce air pollution. The design of the ventilation system must be in accordance with the specific process and the chemicals or contaminants used. Employers may need to use multiple types of control measures to
Personal protective equipment	prevent employees from overexposure.
Eye and face protection	Safety glasses with side frame protection.Chemical goggle. Contact lenses may cause special hazards; soft contact lenses may absorb and enrich irritants. Each workplace or work platform should formulate a written policy document on contact lens wear or use restrictions
Skin protection	Please refer to hand protection: below

Choose gloves tested according to relevant standards (such as European EN 374,
US F739, AS/NZS2161.1 or national equivalent standards).
In case of long-term contact or repeated contact, it is recommended to use gloves
with IP grade of 5 or higher (the penetration time should be greater than 240
minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent
standards). If it is expected to contact for only a short time, it is recommended to
use gloves with IP grade of 3 or higher (penetration time should be greater than 60
minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent
standards).
The contaminated gloves should be replaced.Experience has shown that the
following polymers as glove materials are suitable for the protection of
undissolved, dry and abrasive free solids.
Chloroprene rubber, Nitrile rubber, Butyl rubber, Fluororubber Polyvinyl chloride
Gloves should frequently be checked for wear and degradation.
Please refer to the below other protection.
Working clothes
PVC (polyvinyl chloride) apron Protective cream
Skin cleaning cream
None

Approved by ECOCERT

Respiratory system protection

ISO

(AS/NZS year 1716 and 1715, ANSI Z88 EN 143:000 and 149:001, or equivalent to the state),

Respirators may be necessary to be used when engineering and management controls cannot effectively prevent exposure.

The use of respiratory protection should depend on professional advice and judgment, including the consideration of toxicological information, exposure measured data, frequency, and the possibility of worker exposure, so as to ensure that users are not subjected to high heat loads that may lead to heat stress or thermal fatigue as a result of personal protective equipment (a full filter with power assist and positive pressure can be selected).

Published occupational contact (exposure) limits, which may be mandatory by the government or recommended by the seller, will help to determine whether the selected respiratory protective equipment is effective enough.

When the part properly selected and as part of a complete respiratory protection measure system, certified respirators can effectively protect workers from inhalation of particulate matter.

When there is a considerable amount of dust in the air, use an approved positive pressure breathing mask.

Try to avoid conditions producing dust.

Part 9: Physicochemical Properties

ISO (SGS (REACH)

Approved by ECOCERT RAW MATERIAL

Basic physicochemical properties

ZLEY

妝 萊 集 團

Appearance	Colorless and clear liquid		
Physical state	Liquid		
Smell	None		
Suggested dosage	1.0-5.0%		
Solubility	Soluble in water		
Molecular weight (g/mol)	104.15		
pH	None		
Melting point	50.86		
Heavy metal	≤20ppm		
Aerobic bacterial count (CFU/ml)	≤100CFU/ml		
Yeast & Mold (CFU/ml)	≤100CFU/ml		
Colibacillus (CFU/ml)	Not detectable		
Pseudomonas aeruginosa (CFU/ml)	Not detectable		
Staphylococcus aureus (CFU/ml)	Not detectable		
Volatile components (%)	None		

Part 10: Stability and Reactivity

Reactivity	Please refer to part 7	
Stability	Existence of incompatible substances. The substance is considered to be stable. Polymerization without the occurrence of hazards.	
Hazardous reaction	Please refer to part 7	
Conditions that should be avoided	Please refer to part 7	
Prohibited substances	Please refer to part 7	
Hazardous decomposition products	Please refer to part 5	



Part 11: Toxicological Information

	Toxicity
PENTYLENE GLYCOL	LD50 (Oral Rat): 12.700 mg/kg
	ED50 (Oral Rat): 12.700 mg/kg

Part 12: Ecological Information

Ecotoxicity

Components	Destination	Test duration (hours)	Туре	Value	Source
PENTYLENE GLYCOL	N/A	N/A	N/A	N/A	N/A
PENTYLENE GLYCOL	N/A	N/A	N/A	N/A	N/A

It is prohibited to be discharged into sewers or water bodies.

Persistence and degradability

Component	Persistence: water/soil	Persistence: air	Degradability
PENTYLENE GLYCOL	Low	Low	Degradable

Potential bioaccumulation

Component	Bioaccumulation	
PENTYLENE GLYCOL	Low	

Mobility in soil

Component	Mobility	
PENTYLENE GLYCOL	Low	

Other adverse effects: No data available

ZLEY[®] ISO COS CREAT

Part 13: Disposal Considerations

Disposal considerations

Waste chemicals:	Recycle as far as possible, or consult manufacturer about the relevant recyclable methods. Consult local waste management department about relevant disposal considerations methods. Bury the residues in the approved landfill. If possible, recycle the containers, or dispose wastes in the approved landfill.
Contaminated packaging:	Please refer to the above parts.
Transportation precautions:	Please refer to the above parts.

Part 14: Transport Information

Packaging mark

Marine pollutants	None
Marine pollutants	None

Land transport (UN): not regulated as dangerous goods for transportation. Air transport (ICAO-IATA /DG, 61th edition): not regulated as dangerous goods for transportation.

Maritime transport (IMDG-Code / GGVSee, 39-18): not regulated as dangerous goods for transportation.

Conduct bulk transportation according to Appendix 1 and IBC code of MARPOL: N/A.

Precautions for transportation: None. **Packing method:** Please refer to Part 7.

Part 15: Regulatory Information

OSHA: Process Safety Management: Material is not listed in appendix A of 29 CFR 1910.119 as highly hazardous chemical.

Safety, health and environmental regulations specific for the product in question

5,	8 1	1 1	
INCI	Chemical names	CAS No.	EC No.
PENTYLENE GLYCOL	Pentane-1,2-diol	5343-92-0	226-285-3
European Inventory of Existing Commercial Substances (EINECS)			Listed
United States Toxic Substances Control Act (TSCA) Inventory			Listed
Inventory of Existing Chemical Substances in China (China IECSC)			Listed

Part 16: Other Information

ISO (C)

REACH

(Approved by ECOCERT

Other information

(material) safety data sheet (SDS) is used as the communication tool of hazardous information, which should be used to assist in risk assessment. Many factors can be used to determine whether a hazard in the workplace or in other locations should be reported as dangerous. Risk can be determined by reference to exposure. The scale of use, frequency of use and existing.

Abbreviations and acronyms

PC-TWA: Permissible Concentration-Time Weighted Average refers to the average permissible exposure concentration of 8-hour working days and 40-hour working weeks regulated with the time as the weight.

PC-STEL: Permissible Concentration Short Term Exposure Limit refers to the concentration allowed to be exposed for a short time (15 min) under the premise of complying with PC-TWA.

IARC: International Agency for Research on Cancer.

ACGIH: American Conference of Government Industrial Hygienists

STEL: Short Term Exposure Limi.t

TEEL: Temporary Emergency Exposure Limit.

IDLH: Immediately Dangerous to Life or Heath Concentrations.

OSF: Odor Safety Factor.

NOAEL: No Observed Adverse Effect Level.

LOAEL: Lowest Observed Adverse Effect Level.

TLV: Threshold Limit Value

LOD: Limit of Detection.

OTV: Odour Threshold Value.